

## DS-KB8113-IME1

### Vandal-Resistant Video Doorbell



Hikvision's DS-KB8113-IME1 Vandal-Resistant Video Doorbell features a 2 MP HD camera, standard PoE, noise suppression, echo cancellation, low illumination requirement, lock relay, and configuration remotely over the Web.

#### Available Model


DS-KB8113-IME1

- Standard PoE
- 2 MP HD Camera
- Noise Suppression and Echo Cancellation
- Low Illumination
- IP65, IK09 Impact Protection Rating
- Standard PoE
- Configure Remotely via Web

# Specifications


System Parameters	
Operating System	Embedded Linux operation system
Flash	32 MB
RAM	256 MB
Video Parameters	
Camera	2 MP HD camera
Night Vision	Low illumination IR supplement mode: 3 m
WDR	True WDR
Field of View	Horizontal: 88° Vertical: 45° Diagonal: 106°
Video Compression Standard	H.264
Stream	Main stream: 1080p @ 30 fps, 720p @ 30 fps Sub stream: D1
Resolution	Main stream: 1920 × 1080p, 720p Sub stream: 704 × 576
Motion Detection	Supported
Anti-Flicker Frequency	50 Hz, 60 Hz
Audio Parameters	
Audio Intercom	Two-way audio communication
Audio Input	Built-in omnidirectional microphone
Audio Output	Built-in loudspeaker
Audio Compression Standard	G.711 U
Audio Compression Rate	64 Kbps
Audio Quality	Noise suppression and echo cancellation
Network Parameters	
Wired Network	PoE, 10/100 Mbps self-adapted
Network Protocol	TCP/IP, RSTP
Access Control Parameters	
Relay	1
Interfaces	
Debugging Port	1
Alarm Input	1
Grounding	1
General	
Protection Level	IP65, IK09
Button	1
Power Supply	IEEE802.3af, standard PoE 12 VDC
Power Consumption	<10 W
Working Temperature	-30° to +50° C (-22° to 122° F)
Working Humidity	10% to 90% (non-condensing)
Heat Module	Supported
Installation	Surface mounting (recommended installation height: 47" to 55")
Dimensions	161.85 mm × 74.13 mm × 53.2 mm (6.372" × 2.919" × 2.094")

## Appearance and Interfaces



No.	Description	No.	Description
1	Microphone	4	Call Button
2	Built-in Camera	5	Loudspeaker
3	Low Illumination Supplement Light		

## Dimensions



Unit:mm