

## **Product Discontinuation Notification**

Product: Value Plus Series Cameras

Date: Oct 31, 2018

**Subject:** Discontinuation

Start Date: Oct 31, 2018 Estimated End Date: (See below)

Inventory levels vary – While supplies last

The products listed below are in transition to end-of-life. Do not quote these products from projects outside the estimated end date. When inventory is depleted, a final notification will be released.

Replacement cameras have improvements (DarkFighter feature in Performance series and 120 dB WDR, H.265+ compression technology, and EXIR 2.0 technology in both Value series and Performance series.) Please note due to limited sales, 6mm options are not being offered in the new series, so performance series alternative is provided.

Hikvision will continue to support qualified product under currently published warranty policies.

| Discontinued<br>Model     | Description   | MSRP  | Actual date | Replacement<br>Model    | Description   | MSRP  |
|---------------------------|---|-------|-------------|-------------------------|---|-------|
| DS-2CD2022WD-I<br>4MM     | Outdoor Bullet, 2MP/1080p,<br>H264+, 4mm, Day/Night,<br>120dB WDR, IR (30m), IP66,<br>PoE/12VDC                                       | \$239 | 1/21/19     | DS-2CD2023G0-I<br>4MM   | Outdoor Bullet, 2MP/1080p,<br>H265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC | \$204 |
| DS-2CD2022WD-I<br>6MM     | Outdoor Bullet, 2MP/1080p,<br>H264+, 6mm, Day/Night,<br>120dB WDR, IR (30m), IP66,<br>PoE/12VDC                                       | \$239 | 1/21/19     | DS-2CD2025FWD-I<br>6MM  | Outdoor Bullet, 2MP/1080p,<br>H265+, 6mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC | \$261 |
| DS-2CD2042WD-I<br>4MM     | Outdoor Bullet, 4MP-<br>20fps/1080p, H264+, 4mm,<br>Day/Night, 120dB WDR, IR<br>(30m), IP66, P0E/12VDC                                | \$304 | 1/21/19     | DS-2CD2043G0-I<br>4MM   | Outdoor Bullet, 4MP-30fps,<br>H265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, PoE/12VDC | \$293 |
| DS-2CD2042WD-I<br>6MM     | Outdoor Bullet, 4MP-<br>20fps/1080p, H264+, 6mm,<br>Day/Night, 120dB WDR, IR<br>(30m), IP66, P0E/12VDC                                | \$304 | 1/21/19     | DS-2CD2045FWD-I<br>6MM  | Outdoor Bullet, 4MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (30m), IP67,<br>P0E/12VDC       | \$315 |
| DS-2CD2122FWD-IS<br>2.8MM | Outdoor Dome, 2MP/1080p,<br>H264+, 2.8mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio I/O, uSD, IP66,<br>POE/12VDC | \$239 | 1/21/19     | DS-2CD2123G0-I<br>2.8MM | Outdoor Dome, 2MP/1080p,<br>H265+, 2.8mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, PoE/12VDC | \$204 |
| DS-2CD2122FWD-IS<br>4MM   | Outdoor Dome, 2MP/1080p,<br>H264+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio I/O, uSD, IP66,<br>PoE/12VDC   | \$239 | 1/21/19     | DS-2CD2123G0-I<br>4MM   | Outdoor Dome, 2MP/1080p,<br>H265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, PoE/12VDC   | \$204 |



| Discontinued<br>Model   | Description  | MSRP  | Actual date | Replacement<br>Model    | Description   | MSRP  |
|-------------------------|--|-------|-------------|-------------------------|---|-------|
| DS-2CD2122FWD-IS<br>6MM | Outdoor Dome, 2MP/1080p,<br>H264+, 6mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio I/O, uSD, IP66,<br>PoE/12VDC        | \$239 | 1/21/19     | DS-2CD2125FWD-I<br>6MM  | Outdoor Dome, 2MP/1080p,<br>H265+, 6mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                                 | \$261 |
| DS-2CD2142FWD-IS<br>4MM | Outdoor Dome, 4MP-<br>20fps/1080p, H264+, 4mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>I/O, uSD, IP66, P0E/12VDC | \$304 | 1/21/19     | DS-2CD2143G0-I<br>4MM   | Outdoor Dome, 4MP-30fps,<br>H265+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio I/O, uSD, IP66,<br>PoE/12VDC | \$261 |
| DS-2CD2142FWD-IS<br>6MM | Outdoor Dome, 4MP-<br>20fps/1080p, H264+, 6mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>I/O, uSD, IP66, P0E/12VDC | \$304 | 1/21/19     | DS-2CD2145FWD-I<br>6MM  | Outdoor Dome, 4MP, H265+,<br>68mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (30m), IP67/IK10,<br>PoE/12VDC                                 | \$315 |
| DS-2CD2152F-IS<br>4MM   | Outdoor Dome, 5MP, H264+,<br>4mm, Day/Night, IR (30m), 3-<br>Axis, uSD, IP66, PoE/12VDC  | \$326 | 1/21/19     | DS-2CD2163G0-I<br>4MM   | Outdoor Dome, 6MP-20fps,<br>H265+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio I/O, uSD, IP66,<br>P0E/12VDC | \$293 |
| DS-2CD2152F-IS<br>6MM   | Outdoor Dome, 5MP, H264+,<br>6mm, Day/Night, IR (30m), 3-<br>Axis, uSD, IP66, P0E/12VDC  | \$326 | 1/21/19     | DS-2CD2155FWD-I<br>6MM  | Outdoor Dome, 5MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (30m), IP67,<br>PoE/12VDC                                       | \$348 |
| DS-2CD2322WD-I<br>2.8MM | Turret Dome, 2MP/1080p,<br>H264+, 2.8mm, Day/Night,<br>120dB WDR, EXIR (30m), IP66,<br>P0E/12VDC   | \$272 | 1/21/19     | DS-2CD2323G0-I<br>2.8MM | Outdoor Turret, 2MP/1080p,<br>H265+, 2.8mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                             | \$215 |
| DS-2CD2322WD-I<br>4MM   | Turret Dome, 2MP/1080p,<br>H264+, 4mm, Day/Night, 120dB<br>WDR, EXIR (30m), IP66,<br>P0E/12VDC   | \$272 | 1/21/19     | DS-2CD2323G0-I<br>4MM   | Outdoor Turret, 2MP/1080p,<br>H265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                               | \$215 |
| DS-2CD2322WD-I<br>6MM   | Turret Dome, 2MP/1080p,<br>H264+, 6mm, Day/Night, 120dB<br>WDR, EXIR (30m), IP66,<br>P0E/12VDC   | \$272 | 1/21/19     | DS-2CD2325FWD-I<br>6MM  | Turret Dome, 2MP/1080p,<br>H265+, 6mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                                  | \$293 |
| DS-2CD2342WD-I<br>2.8MM | Turret Dome, 4MP-<br>20fps/1080p, H264+, 2.8mm,<br>Day/Night, 120dB WDR, EXIR<br>(30m), IP66, P0E/12VDC                                    | \$337 | 1/21/19     | DS-2CD2343G0-I<br>2.8MM | Outdoor Turret, 4MP-30fps,<br>H.265+, 2.8mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                            | \$272 |
| DS-2CD2342WD-I<br>4MM   | Turret Dome, 4MP-<br>20fps/1080p, H264+, 4mm,<br>Day/Night, 120dB WDR, EXIR<br>(30m), IP66, P0E/12VDC                                      | \$337 | 1/21/19     | DS-2CD2343G0-I<br>4MM   | Outdoor Turret, 4MP-30fps,<br>H.265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                              | \$272 |
| DS-2CD2342WD-I<br>6MM   | Turret Dome, 4MP-<br>20fps/1080p, H264+, 6mm,<br>Day/Night, 120dB WDR, EXIR<br>(30m), IP66, P0E/12VDC                                      | \$337 | 1/21/19     | DS-2CD2345FWD-I<br>6MM  | Turret Dome, 4MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (30m), IP67,<br>PoE/12VDC  | \$348 |
| DS-2CD2352-I<br>2.8MM   | Turret Dome, 5MP, H264+,<br>2.8mm, Day/Night, EXIR (30m),<br>IP66, PoE/12VDC   | \$359 | 1/21/19     | DS-2CD2363G0-I<br>2.8MM | Outdoor Turret, 4MP-20fps,<br>H.265+, 2.8mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, P0E/12VDC                            | \$326 |
| DS-2CD2352-I<br>4MM     | Turret Dome, 5MP, H264+,<br>4mm, Day/Night, EXIR (30m),<br>IP66, PoE/12VDC   | \$359 | 1/21/19     | DS-2CD2363G0-I<br>4MM   | Outdoor Turret, 4MP-20fps,<br>H.265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (30m),<br>IP67, PoE/12VDC                              | \$326 |



| Discontinued<br>Model     | Description  | MSRP  | Actual date | Replacement<br>Model     | Description  | MSRP  |
|---------------------------|--|-------|-------------|--------------------------|--|-------|
| DS-2CD2352-I<br>6MM       | Turret Dome, 5MP, H264+,<br>6mm, Day/Night, EXIR (30m),<br>IP66, PoE/12VDC   | \$359 | 1/21/19     | DS-2CD2355FWD-I<br>6MM   | Turret Dome, 5MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (30m), IP67,<br>PoE/12VDC   | \$391 |
| DS-2CD2722FWD-<br>IZS     | Outdoor Dome, 2MP/1080p,<br>H264+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (20m), IP66, P0E/12VDC           | \$467 | 1/21/19     | DS-2CD2723G1-IZS         | Outdoor Dome, 2MP/1080p,<br>H265+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (30m), IP67, P0E/12VDC | \$413 |
| DS-2CD2742FWD-<br>IZS     | Outdoor Dome, 4MP-<br>20fps/1080p, H264+, 2.8-12mm<br>Motorized Zoom/Focus<br>Day/Night, 120dB WDR, Alarm<br>I/O, Audio I/O, uSD, IR (20m),<br>IP66, PoE/12VDC | \$543 | 1/21/19     | DS-2CD2743G1-IZS         | Outdoor Dome, 4MP-30fps,<br>H265+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (30m), IP67, PoE/12VDC | \$467 |
| DS-2CD2752F-IZS           | Outdoor Dome, 5MP 20fps,<br>H264+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (30m), IP66, P0E/12VDC           | \$587 | 1/21/19     | DS-2CD2763G1-IZS         | Outdoor Dome, 6MP-20fps,<br>H265+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (30m), IP67, PoE/12VDC | \$522 |
| DS-2CD2522FWD-IS<br>2.8MM | Compact Dome, 2MP/1080p,<br>H264+, 2.8mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC                        | \$272 | 1/21/19     | DS-2CD2523G0-IS<br>2.8MM | Compact Dome, 2MP/1080p -<br>30fp, H265+, 2.8mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>Mic/O, uSD, IP66, PoE/12VDC       | \$215 |
| DS-2CD2522FWD-IS<br>4MM   | Compact Dome, 2MP/1080p,<br>H264+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC                          | \$272 | 1/21/19     | DS-2CD2523G0-IS<br>4MM   | Compact Dome, 2MP/1080p -<br>30fp, H265+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC         | \$215 |
| DS-2CD2522FWD-IS<br>6MM   | Compact Dome, 2MP/1080p,<br>H264+, 6mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC                          | \$272 | 1/21/19     | DS-2CD2525FWD-IS<br>6MM  | Compact Dome, 2MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>IR (10m), Basic Smart Suite2,<br>IP66/IK8, PoE/12VDC                                      | \$293 |
| DS-2CD2542FWD-IS<br>2.8MM | Compact Dome, 4MP-<br>20fps/1080p, H264+, 2.8mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>Mic/O, uSD, IP66, PoE/12VDC                 | \$337 | 1/21/19     | DS-2CD2543G0-I<br>2.8MM  | Compact Dome, 4MP-30fp,<br>H265+, 2.8mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC               | \$293 |
| DS-2CD2542FWD-IS<br>4MM   | Compact Dome, 4MP-<br>20fps/1080p, H264+, 4mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>Mic/O, uSD, IP66, P0E/12VDC                   | \$337 | 1/21/19     | DS-2CD2543G0-I<br>4MM    | Compact Dome, 4MP-30fp,<br>H265+, 4mm, Day/Night,<br>120dB WDR, IR (30m), 3-Axis,<br>Alarm I/o, Audio Mic/O, uSD,<br>IP66, PoE/12VDC                 | \$293 |
| DS-2CD2542FWD-IS<br>6MM   | Compact Dome, 4MP-<br>20fps/1080p, H264+, 6mm,<br>Day/Night, 120dB WDR, IR<br>(30m), 3-Axis, Alarm I/o, Audio<br>Mic/O, uSD, IP66, P0E/12VDC                   | \$337 | 1/21/19     | DS-2CD2545FWD-IS<br>6MM  | Compact Dome, 4MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>IR (10m), Basic Smart Suite3,<br>IP66/IK8, PoE/12VDC                                      | \$348 |



| Discontinued<br>Model  | Description  | MSRP  | Actual date | Replacement<br>Model    | Description  | MSRP  |
|------------------------|--|-------|-------------|-------------------------|--|-------|
| DS-2CD2622FWD-<br>IZS  | Outdoor Bullet, 2MP/1080p,<br>H264+, 2.8-12mm Motorized<br>Zoom/Focus Day/Night, 120dB<br>WDR, Alarm I/O, Audio I/O,<br>uSD, IR (30m), IP66, P0E/12VDC           | \$467 | 1/21/19     | DS-2CD2623G0-IZS        | Outdoor Bullet, 2MP/1080p,<br>H265+, 2.8mm~12mm,<br>Day/Night, 120dB WDR, EXIR<br>2.0 (30m), IP67, POE/12VDC | \$413 |
| DS-2CD2642FWD-<br>IZS  | Outdoor Bullet, 4MP-<br>20fps/1080p, H264+, 2.8-12mm<br>Motorized Zoom/Focus<br>Day/Night, 120dB WDR, Alarm<br>I/O, Audio I/O, uSD, IR (30m),<br>IP66, P0E/12VDC | \$543 | 1/21/19     | DS-2CD2643G0-IZS        | Outdoor Bullet, 4MP-30fps,<br>H265+, 2.8mm~12mm,<br>Day/Night, 120dB WDR, EXIR<br>2.0 (30m), IP67, POE/12VDC | \$489 |
| DS-2CD2T22WD-I5<br>4MM | Outdoor Bullet, 2MP/1080p,<br>H264+, 4mm, Day/Night,<br>120dB WDR, EXIR (50m), IP66,<br>P0E/12VDC  | \$272 | 1/21/19     | DS-2CD2T25FWD-I5<br>4MM | Outdoor Bullet, 2MP/1080p,<br>H265+, 4mm, Day/Night,<br>120dB WDR, EXIR 2.0 (50m),<br>IP67, PoE/12VDC        | \$293 |
| DS-2CD2T22WD-I5<br>6MM | Outdoor Bullet, 2MP/1080p,<br>H264+, 6mm, Day/Night,<br>120dB WDR, EXIR (50m), IP66,<br>P0E/12VDC  | \$272 | 1/21/19     | DS-2CD2T25FWD-I5<br>6MM | Outdoor Bullet, 2MP/1080p,<br>H265+, 6mm, Day/Night,<br>120dB WDR, EXIR 2.0 (50m),<br>IP67, PoE/12VDC        | \$293 |
| DS-2CD2T42WD-I5<br>4MM | Outdoor Bullet, 4MP-<br>20fps/1080p, H264+, 4mm,<br>Day/Night, 120dB WDR, EXIR<br>(50m), IP66, P0E/12VDC   | \$337 | 1/21/19     | DS-2CD2T45FWD-I5<br>4MM | Outdoor Bullet, 4MP, H265+,<br>4mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (50m), IP67,<br>P0E/12VDC              | \$348 |
| DS-2CD2T42WD-I5<br>6MM | Outdoor Bullet, 4MP-<br>20fps/1080p, H264+, 6mm,<br>Day/Night, 120dB WDR, EXIR<br>(50m), IP66, P0E/12VDC   | \$337 | 1/21/19     | DS-2CD2T45FWD-I5<br>6MM | Outdoor Bullet, 4MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (50m), IP67,<br>POE/12VDC              | \$348 |
| DS-2CD2T52-I5<br>4MM   | Outdoor Bullet, 5MP 20fps,<br>H264+, 4mm, Day/Night, EXIR<br>(50m), IP66, P0E/12VDC  | \$359 | 1/21/19     | DS-2CD2T55FWD-I5<br>4MM | Outdoor Bullet, 5MP, H265+,<br>4mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (50m), IP67,<br>P0E/12VDC              | \$391 |
| DS-2CD2T52-I5<br>6MM   | Outdoor Bullet, 5MP 20fps,<br>H264+, 6mm, Day/Night, EXIR<br>(50m), IP66, PoE/12VDC  | \$359 | 1/21/19     | DS-2CD2T55FWD-I5<br>6MM | Outdoor Bullet, 5MP, H265+,<br>6mm, Day/Night, 120dB WDR,<br>EXIR 2.0 (50m), IP67,<br>POE/12VDC              | \$391 |

Please contact your local Hikvision USA representative or Hikvision Technical Support at 909-612-9039 if you require further information.