

Title:	RN ADT I Series NVR 011119NA	Version:	Various	Date:	011119
Product:	ADT I Series NVR	Build:	Various	Page:	1 of 4
Action Required:	None, Information Only				

■ DS-7716NI-I4/16P

Version: v3.4.921 build 171226

Date: December 26, 2017

• Update

- Supports new serial number rule: serial numbers that include English characters and numbers, same as baseline.

• Bug Fixes

- Fixed the bug that caused the device to reboot after connection to Hik-Central.
- Fixed two-way audio issue.
- Changed FW version number to distinguish from U.S. baseline. 3.4.2 = 3.4.2xx, 3.3.6 = 3.3.6xx, 3.1.12 – 3.1.12x
- Removed HiDDNS and IP server
- HIK-Connect update, same as US baseline
- Default disable UPnP and HIK-Connect
- Changed advanced security mode mechanism: If user enabled HIK-Connect and set ASM mode to high, HIK-Connect status would remain
- I-View Now modification
 - * Removed UPnP report password, same as US baseline.
 - * Fixed E-mail reporting with SSL issue.
 - * Fixed E-mail server unable to receive e-mail reporting issue.

Title:	RN ADT I Series NVR 011119NA	Version:	Various	Date:	011119
Product:	ADT I Series NVR	Build:	Various	Page:	2 of 4
Action Required:	None, Information Only				

■ DS-7716NI-I4/16P


Version: v3.4.2 build 161021 (Beta Version)

Date: October 21, 2016


• Updates

- Supports ISAPI/Event/notification/alertStream
- Disabled Basic authorization and RTSP Basic authorization
- Enabled RTSP
- Encrypted all account sensitive information
- Removed "Enable RTSP Streaming" and "Enable HTTP Basic Authorization" option in Advanced Security Mode
- Supports TLS protocol
- Supports several features required by I-View Now
 - * UPnP reporting

NOTE: Password for UPnP reporting is *iview123*



Title:	RN ADT I Series NVR 011119NA	Version:	Various	Date:	011119
Product:	ADT I Series NVR	Build:	Various	Page:	3 of 4
Action Required:	None, Information Only				



- * Soft trigger URL
 - <http://x.x.x.x/PSIA/System/IO/inputs/triggers/n>
 - <http://x.x.x.x/ISAPI/System/IO/inputs/triggers/n>
- * Supports ISAPI/Event/notification/alertStream

• Bug Fixes

- Base64 Encoded Authentication stored in browser as JavaScript Variable `g_oWebSession.getItem(UserInfo)` (#1 in tab of DVR issue). Disabled RTSP streaming in advanced security mode.
- Clear-Text Password visible on Account Creation and/or password change (#2 in tab of DVR issue).
- jQuery version 1.7.1 is Known for being vulnerable to class selector XSS attacks (#3 in tab of DVR issue).
- RTSP uses HTTP Basic Authorization (#5 in tab of DVR issue). Disabled HTTP Basic Authorization in advanced security mode.

Title:	RN ADT I Series NVR 011119NA	Version:	Various	Date:	011119
Product:	ADT I Series NVR	Build:	Various	Page:	4 of 4
Action Required:	None, Information Only				

- WebComponent Plugin – Internal IP address/MAC address disclosure (#7 in tab of DVR issue). Disabled Web Component in advanced security mode.
- WebComponent Plugin – User's Local Home Path Disclosure (#8 in tab of DVR issue). Disabled Web Component in advanced security mode.
- WebComponent Plugin – Allows file uploads by file name (#9 in tab of DVR issue). Disabled Web Component in advanced security mode.
- WebComponent Plugin – HWP_StartDownloadEx() Has Directory Traversal Issue in the Filename Parameter (#10 in tab of DVR issue). Disabled Web Component in advanced security mode.
- WebComponent Plugin – Drive-By-Download Attacks Possible Via HWP_StartDownloadEx() (#11 in tab of DVR issue). Disabled Web Component in advanced security mode.
- Exported Config File Uses Weak Encryption (#12 in tab of DVR issue).
- IPC Config Export is XLS file with clear-text passwords (#13 in tab of DVR issue).
- Management Port 8000 is vulnerable to session hijacking (#14 in tab of DVR issue). Disabled HTTP Basic Authorization in advanced security mode.